




WATER SUPPLY OUTLOOK

for the
EASTERN GREAT BASIN
COLORADO BASIN
RIVER FORECAST CENTER




NATIONAL WEATHER SERVICE, SALT LAKE CITY, UT

MARCH 1, 2007

SUMMARY

The long awaited shift in weather patterns finally materialized in February for much of the Great Basin. Overall the snow improved by 10% in the north and 5% in the southern basins. Flows in both the north and south were about 95% of average however precipitation came in at 114% of average in the north and 88% in the southern basins. Reservoir storage remains at high levels with the exception of Willard Bay. The forecasts range from 38% to 89% of average for the coming spring runoff season.

APRIL - JULY VOLUME FORECASTS




INSIDE	
Summary	1
Great Salt Lake Basin	2
Sevier Basin	3
Specific Site Forecasts	4,5
EOM Reservoir Contents	6
Monthly Streamflows	7
Precipitation Maps	8,9
Additional Information	10

GREAT SALT LAKE BASIN

Northern Utah snowpacks improved, but only slightly and are currently below average as of March 1 at 70% of average. Monthly precipitation was 118% of average in the Bear River Basin, 108% in the Great Salt Lake Basin and 129% in the Six Creeks Basins. Forecasts range from 52 to 89 percent of average.

April-July streamflow forecasts for the Great Salt Lake Basin are as follows:




Bear River:
Much Below Average

Weber River:
Below Average

Utah Lake:
Much Below Average

Six Creeks:
Much Below Average

Basin Conditions - MARCH 1, 2007




* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 4.


SEVIER LAKE BASIN

The snowpack in the Sevier Lake Basin improved to 70 percent of average during February. Streamflow was near normal during the month and seasonal precipitation has returned to near normal as well. Streamflow runoff forecasts range from 56 to 68 percent of average.

April-July streamflow forecasts for the Sevier Lake Basin are as follows:



BASIN CONDITIONS - FEBRUARY 1, 2007



* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 5.

SPECIFIC SITE FORECASTS

Great Salt Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
BEAR	UTAH-WYOMING STATE LINE, NR	97	86	128	70
	WOODRUFF NARROWS RES	105	77	176	52
BIG CK	RANDOLPH, NR	3	61	5.8	1.12
SMITHS FORK	BORDER, NR	70	68	98	47
BEAR	MONTPELIER, NR, STEWART DAM, B	154	66	270	70
LOGAN	LOGAN, NR, STATE DAM, ABV	85	67	130	50
BLACKSMITH FORK	HYRUM, NR, UP&L DAM, ABV	33	69	52	18
SMITH AND MOREHOUSE CK	OAKLEY, NR	28	82	36	20
WEBER	OAKLEY, NR	100	81	130	70
	ROCKPORT RES, WANSHIP, NR	100	75	114	87
CHALK CK	COALVILLE	40	89	65	13.6
WEBER	COALVILLE, NR	103	75	119	88
	ECHO RES, ECHO, AT	140	78	192	88
LOST CK	LOST CK RES, CROYDON, NR	10	57	16.7	5
EAST CANYON CK	EAST CANYON RES, MORGAN, NR	22	71	35	12.3
WEBER	GATEWAY	250	70	285	215
SF OGDEN	HUNTSVILLE, NR	35	55	55	19.6
OGDEN	PINEVIEW RES, OGDEN, NR	75	56	123	39
WHEELER CK	HUNTSVILLE, NR	3.8	60	6.5	1.84
SPANISH FORK	CASTILLA, NR	45	58	92	14.7
PROVO	WOODLAND, NR	70	68	100	46
	HAILSTONE, NR	72	66	104	46
	DEER CK RES	75	60	101	53
AMERICAN FORK	AMERICAN FORK, NR, UP PWRPLNT,	20	62	30	11.8
JORDAN	UTAH LAKE, PROVO, NR	169	52	250	103
LITTLE COTTONWOOD CK	SALT LAKE CITY, NR	28	70	38	19.3
BIG COTTONWOOD CK	SALT LAKE CITY, NR	26	68	36	17.9
CITY CK	SALT LAKE CITY, NR	6.1	70	9.7	3.3
EMIGRATION CK	SALT LAKE CITY, NR	2.4	53	5.1	0.7
MILL CK	SALT LAKE CITY, NR	4.9	70	7.6	2.8
DELL FK	LITTLE DELL RES	3.8	56	7.4	1.38
PARLEYS CK	SALT LAKE CITY, NR	10.9	65	19.3	4.9
VERNON CK	VERNON, NR	0.92	62	1.81	0.33
S WILLOW CK	GRANTSVILLE, NR	2.4	75	3.7	1.36
SETTLEMENT CK	TOOELE, NR	1.3	62	2.4	0.54

For more detailed information about each forecast visit www.wrh.noaa.gov/cbrfc/westernwater


Sevier Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
SEVIER	HATCH	33	60	54	17.3
	KINGSTON, NR	57	64	87	33
EF SEVIER	KINGSTON, NR	24	63	49	7.9
CLEAR CK	SEVIER, NR, DIV, ABV	14.6	66	25	7
SEVIER	PIUTE RES, MARYSVALE, NR	82	65	165	28
	VERMILLION DAM	117	68	184	50
	SIGURD, NR	125	67	225	40
	GUNNISON, NR, SAN PITCH, BLO	178	64	265	107
SALINA CK	SALINA	11	56	27	2
CHICKEN CK	LEVAN, NR	2.6	58	6	0.61
OAK CK	OAK CITY, NR, LITTLE CK, ABV	0.89	54	1.81	0.29
BEAVER	BEAVER, NR	17	63	28	8.8
	MINERSVILLE RES, MINERSVILLE,	6.3	38	15.3	1.22
COAL CK	Ⓟ CEDAR CITY, NR	12.7	66	21	6

For more detailed information about each forecast visit www.wrh.noaa.gov/cbrfc/westernwater

END OF MONTH RESERVOIR CONTENTS


Percent of Usable Capacity




RESERVOIR (vol. in 1000 ac-ft)	Usable Capacity	EOM Usable Contents	Percent Usable Capacity (%)
Bear Lake	1302	430.6	33
Causey	7.1	4	56
Jordanelle	311	242.6	78
Deer Creek	149.7	144.1	96
East Canyon	49.5	40.6	82
Echo	73.9	52.5	71
Gunnison	20.3	0	0
Hyrum	15.3	13.6	89
Lost Creek	22.5	16.8	75
Minersville	23.3	13.2	57
Otter Creek	52.5	39.9	76
Pine View	110.1	61.8	56
Piute	71.8	64.3	90
Rockport	60.9	44.3	73
Sevier bridge	236	185.8	79
* Utah Lake	870.9	864	99
Willard	215	81.3	38
Woodruff Narrows	55.8	48.2	86
TOTAL	3647.6	2334	64
Flaming Gorge	3749	3110.6	83
Lake Powell	24322	11551	47
Moon Lake	36	22.3	62
Red Fleet	25.7	18.6	72
Scofield	65.8	38.1	58
Starvation	165.3	148.3	90
Steinaker	34.4	24.5	71
Strawberry	1105.9	928.5	84
Upper Stillwater	32.5	2.2	7

* Usable capacity taken at compromise Total does not include missing site usable capacities


MONTHLY STREAMFLOWS




Weber Oakley, nr:



Logan - Logan, nr, State Dam, abv:



Sevier - Hatch:





* observed data unavailable

Monthly Precipitation for February 2007

(Averaged by Hydrologic Unit)

% Average





Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbrfc.noaa.gov

Seasonal Precipitation, October 2006 - February 2007

(Averaged by Hydrologic Unit)

% Average



Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbafc.noaa.gov

ADDITIONAL INFORMATION

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through May by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet).

Average:

The arithmetic mean. The sum of the values divided by the number of values.

Categories:

Much above Average	Above Average	Near Average	Below Average	Much Below Average
Greater than 130%	111-130%	90-110%	70-89%	Less than 70%

Forecast Period:

The period from April 1 through July 31.

Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season.

Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded.

Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded.

Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact:
Colorado Basin River Forecast Center, National Weather Service

2242 W. North Temple · Salt Lake City, UT 84116 · (801) 524-5130 · <http://www.cbrfc.gov>